IEEE HOME I SEARCH IEEE I SHOP | WEB ACCOUNT | CONTACT IEEE



& A	mbersh	វត្ត ខ្	ábilc.	ations/	Services	Standards	Conference	s Careers/Jobs
	3	Marcol Sci Marcol W	j	Xρ	/O//		United States	Welcome Patent and Trader
Help	FAQ	Terms	IE	E Peer	Review	Quick Li	nks	
	ome to	iese XI	lores					

Welcome United States Patent and Trademark Office



Welcome to IEEE Xplores	
O- Home	

What Can 1 Access?

()- Lag-out

Tables of Contents

()- Journals & Magazines

> Conference **Proceedings**

O- Standards

Search

O- By Author

O-Basic

Advanced

CrossRef

Member Services

O- Join IEEE

)- Establish IEEE Web Account

Access the IEEE Member Digital Library

O- Access the IEEE Enterprise File Cabinet

Rrint Format

Your search matched 25 of 1138071 documents.

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order.

Refine This Search:

You may refine your search by editing the current search expression or enteri new one in the text box.

(delta<near/1>sigma)<and>(bandpass or bpf)<and>d

Search

Check to search within this result set

Results Key:

JNL = Journal or Magazine CNF = Conference STD = Standard

 $_{1}$ A bandpass $\Sigma\Delta$ modulator with 92 dB SNR and center frequency continuously programmable from 0 to 70 MHz

Raghavan, G.; Jensen, J.F.; Walden, R.H.; Posey, W.P.; Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th ISSCC 1997 IEEE International, 6-8 Feb. 1997 Pages: 214 - 215, 459

[Abstract] [PDF Full-Text (1436 KB)] **IEEE CNF**

2 Narrow-band variable center frequency single-loop and multistage sigma-delta modulators for bandpass signals

Al-Janabi, M.; Kale, I.; Morling, R.C.S.;

Instrumentation and Measurement, IEEE Transactions on , Volume: 48 , Issue 5, Oct. 1999

Pages:873 - 877

[Abstract] [PDF Full-Text (120 KB)]

3 InP HBT continuous time 2nd order bandpass ΔΣ modulator and 1-to DEMUX IC with center frequency continuously programmable from 0 t Mhz

Jensen, J.F.; Raghavan, G.; Stanchina, W.; Walden, R.H.; Hafizi, M.; Sun, H.(Kardos, M.; Brown, Y.K.; Montes, M.E.;

Indium Phosphide and Related Materials, 1997., International Conference on , 15 May 1997

Pages:237 - 240

[Abstract] [PDF Full-Text (364 KB)] **IEEE CNF**

4 Low-voltage high-speed switched-capacitor circuits without voltage

bootstrapper

Lei Wang; Embabi, S.H.K.;

Solid-State Circuits, IEEE Journal of , Volume: 38 , Issue: 8 , Aug. 2003

Pages:1411 - 1415

[Abstract] [PDF Full-Text (437 KB)] IEEE JNL

5 Superconducting bandpass ΔΣ modulator with 2.23 GHz center frequency and 42.6 GHz sampling rate

Bulzacchelli, J.F.; Hae-Seung Lee; Misewich, J.A.; Ketchen, M.B.; Solid-State Circuits Conference, 2002. Digest of Technical Papers. ISSCC. 200 IEEE International, Volume: 1, 3-7 Feb. 2002 Pages: 188 - 459 vol.1

[Abstract] [PDF Full-Text (387 KB)] IEEE CNF

6 A new SC differentiator for two-path bandpass /spl Delta//spl Sigm modulator design

Lei Wang; Embabi, S.H.K.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactic [see also Circuits and Systems II: Express Briefs, IEEE Transactions on], Volu 49, Issue: 11, Nov. 2002

Pages:728 - 732

[Abstract] [PDF Full-Text (337 KB)] IEEE JNL

7 Superconducting bandpass /spl Delta//spl Sigma/ modulator with ; GHz center frequency and 42.6-GHz sampling rate

Bulzacchelli, J.F.; Hae-Seung Lee; Misewich, J.A.; Ketchen, M.B.; Solid-State Circuits, IEEE Journal of, Volume: 37, Issue: 12, Dec. 2002 Pages:1695 - 1702

[Abstract] [PDF Full-Text (527 KB)] IEEE JNL

8 An 81-MHz IF receiver in CMOS

Hairapetian, A.;

Solid-State Circuits, IEEE Journal of , Volume: 31 , Issue: 12 , Dec. 1996 Pages: 1981 - 1986

[Abstract] [PDF Full-Text (752 KB)] IEEE JNL

9 A fourth-order bandpass delta-sigma modulator with reduced numb of op amps

Bang-Sup Song;

Solid-State Circuits, IEEE Journal of , Volume: 30 , Issue: 12 , Dec. 1995 Pages: 1309 - 1315

[Abstract] [PDF Full-Text (748 KB)] IEEE JNL

10 Bandpass Δ - Σ modulator with frequency converters in feedback loo

Yasuda, A.; Tanimoto, H.;

Electronics Letters, Volume: 34, Issue: 24, 26 Nov. 1998

Pages:2293 - 2295

[Abstract] [PDF Full-Text (340 KB)] IEE JNL

11 A two-path bandpass $\Sigma\Delta$ modulator for digital IF extraction at 20 M Ong, A.K.; Wooley, B.A.;

Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th ISSCC 1997 IEEE International , 6-8 Feb. 1997

Pages:212 - 213, 459

[Abstract] [PDF Full-Text (1408 KB)] IEEE CNF

Multibit bandpass delta-sigma modulators using N-path structures Schreier, R.; Temes, G.C.; Yesilyurt, A.G.; Zhang, Z.X.; Czarnul, Z.; Hairapet, A.;

Circuits and Systems, 1992. ISCAS '92. Proceedings., 1992 IEEE International Symposium on , Volume: 2 , 3-6 May 1992

Pages: 593 - 596 vol. 2

[Abstract] [PDF Full-Text (312 KB)] IEEE CNF

13 New multirate bandpass sigma-delta modulators

Colodro, F.; Torralba, A.; Vega-Leal, A.P.; Ridao, F.P.;

Circuits and Systems I: Regular Papers, IEEE Transactions on [see also Circuit Systems I: Fundamental Theory and Applications, IEEE Transactions on], Vol

51 , Issue: 11 , Nov. 2004

Pages:2141 - 2147

[Abstract] [PDF Full-Text (456 KB)] IEEE JNL

14 High dynamic range InP HBT delta-sigma analog-to-digital convertor Inerfield, M.; Skones, W.; Nelson, S.; Ching, D.; Cheng, P.; Wong, C.; Solid-State Circuits, IEEE Journal of, Volume: 38, Issue: 9, Sept. 2003 Pages: 1524 - 1532

[Abstract] [PDF Full-Text (682 KB)] IEEE JNL

15 A 2.2-mW CMOS bandpass continuous-time multibit /spl Delta/-/spl Sigma/ ADC with 68 dB of dynamic range and 1-MHz bandwidth for wireless applications

Kappes, M.S.;

Solid-State Circuits, IEEE Journal of , Volume: 38 , Issue: 7 , July 2003 Pages: 1098 - 1104

[Abstract] [PDF Full-Text (531 KB)] IEEE JNL

1 2 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership	Publications/Services	Standards	Conference	careers/lobs
	= Xplore		United States I	Welcome Patent and Traden



	Welcome United States Patent and Trademark Office
Help FAQ Terms IEE	E Peer Review Quick Links Se
Welcome to IEEE Xplore?	
O- Home O- What Can I Access? O- Log-out	Your search matched 25 of 1138071 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order.
Tables of Contents	Refine This Search: You may refine your search by editing the current search expression or enteri
O- Journals & Magazines	new one in the text box.
O- Conference Proceedings	(delta <near 1="">sigma)<and>(bandpass or bpf)<and>c Search Check to search within this result set</and></and></near>
O- Standards	Results Key:
Search	JNL = Journal or Magazine CNF = Conference STD = Standard
O- By Author	
O- Basic	16 Experimental demonstration of superconducting bandpass delta-sig
O- Advanced	modulator Bulzacchelli, J.F.; Hae-Seung Lee; Misewich, J.A.; Ketchen, M.B.;
O- CrossRef	Applied Superconductivity, IEEE Transactions on , Volume: 13 , Issue: 2 , Jun
Member Services	2003
Ö- Join IEEE	Pages:471 - 476
O- Establish IEEE	[Abstract] [PDF Full-Text (423 KB)] IEEE JNL
Web Account - Access the IEEE Member Digital Library	17 A 80-MHz bandpass ΔΣ modulator for a 100-MHz IF receiver Salo, T.; Lindfors, S.; Halonen, K.A.I.; Solid-State Circuits, IEEE Journal of , Volume: 37 , Issue: 7 , July 2002 Pages:798 - 808
O-Access the	[Abstract] [PDF Full-Text (393 KB)] IEEE JNL

File Cabinet

En Print Format

18 A double-sampling pseudo-two-path bandpass $\Delta\Sigma$ modulator Shen-Iuan Liu; Chien-Hung Kuo; Ruey-Yuan Tsai; Jingshown Wu; Solid-State Circuits, IEEE Journal of , Volume: 35 , Issue: 2 , Feb. 2000 Pages: 276 - 280

[Abstract] [PDF Full-Text (124 KB)] IEEE JNL

19 Bandpass ΣΔ modulator employing undersampling of RF signals for wireless communication

Hussein, A.I.; Kuhn, W.B.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactic [see also Circuits and Systems II: Express Briefs, IEEE Transactions on], Volu

47, Issue: 7, July 2000

Pages:614 - 620

[Abstract] [PDF Full-Text (176 KB)] IEEE JNL

20 A 160-MHz fourth-order double-sampled SC bandpass sigma-delta modulator

Bazarjani, S.; Snelgrove, W.M.;

Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactic [see also Circuits and Systems II: Express Briefs, IEEE Transactions on], Volu 45 , Issue: 5 , May 1998

Pages:547 - 555

[Abstract] [PDF Full-Text (256 KB)] IEEE JNL

21 A two-path bandpass ΣΔ modulator for digital IF extraction at 20 M

Ong, A.K.; Wooley, B.A.;

Solid-State Circuits, IEEE Journal of , Volume: 32 , Issue: 12 , Dec. 1997

Pages:1920 - 1934

[Abstract] [PDF Full-Text (336 KB)] **IEEE JNL**

22 A 40 MHz IF fourth-order double-sampled SC bandpass ΣΔ modulat Bazarjani, S.; Snelgrove, M.;

Circuits and Systems, 1997. ISCAS '97., Proceedings of 1997 IEEE Internation Symposium on , Volume: 1 , 9-12 June 1997

Pages:73 - 76 vol.1

[Abstract] [PDF Full-Text (352 KB)] IEEE CNF

23 A 320-MHz four-paths bandpass sigma-delta modulator

Centuori, A.; Gatti, U.; Malcovati, P.; Maloberti, F.;

Instrumentation and Measurement Technology Conference, 2002. IMTC/2002.

Proceedings of the 19th IEEE, Volume: 1, 21-23 May 2002

Pages:497 - 500 vol.1

[PDF Full-Text (386 KB)] [Abstract] **IEEE CNF**

24 Chip design of a bandpass sigma-delta modulator

Sau-Mou Wu; Rou-Yi Liu; Wei Wu; Che-Pin Chen;

Electronics, Circuits and Systems, 2001. ICECS 2001. The 8th IEEE Internatio

Conference on , Volume: 3 , 2-5 Sept. 2001

Pages: 1375 - 1378 vol.3

[Abstract] [PDF Full-Text (224 KB)] **IEEE CNF**

25 A 15 b 30 kHz bandpass sigma-delta modulator

Longo, L.; Horng, B.-R.;

Solid-State Circuits Conference, 1993. Digest of Technical Papers. 40th ISSCC 1993 IEEE International, 24-26 Feb. 1993

Pages: 226 - 227, 293

[PDF Full-Text (636 KB)] IEEE CNF [Abstract]

<u>Prev 1 2</u>

10/189,681

BRS S1 1488 341/143.ccls. US-PGPUB; USPAT 17-Mar-05 BRS S2 13 S1 and mirror adj1 image US-PGPUB; USPAT 16-Mar-05 BRS S3 4 S1 and (rtz or rz) near2 dac US-PGPUB; USPAT 16-Mar-05 BRS S4 5 S1 and (band adj1 pass adj1 filter or bpf) near5 center near5 center near5 frequency US-PGPUB; USPAT 17-Mar-05 BRS S5 1492 341/143.ccls. US-PGPUB; USPAT 17-Mar-05 BRS S6 1687 341/143.ccls. US-PGPUB; USPAT; EPO; JPO 17-Mar-05 BRS S7 45 S6 and filter same (center near2 frequency) US-PGPUB; USPAT; EPO; JPO 17-Mar-05 BRS S8 0 S6 and sideband same mirror adj1 image US-PGPUB;	•	EAST History		3/17/05 12:26 PM	Page 1 of 1	
BRS S3	BRS	S1	1488	341/143.ccls.	•	17-Mar-05
BRS S4 5 S1 and (band adj1 pass adj1 filter or bpf) near5 center near5 frequency US-PGPUB; 16-Mar-05 USPAT EPO; JPO USPAT EPO;	BRS	S2	13	S1 and mirror adj1 image	-	16-Mar-05
BRS S5	BRS	S3	4	S1 and (rtz or rz) near2 dac	•	16-Mar-05
BRS S6	BRS	S4	5	, , , , , , , , , , , , , , , , , , , ,	•	16-Mar-05
USPAT; EPO; JPO US-PGPUB; 17-Mar-05 USPAT; EPO; JPO	BRS	S5	1492	341/143.ccls.		17-Mar-05
BRS S7 45 S6 and filter same (center near2 frequency) US-PGPUB; USPAT; EPO; JPO 17-Mar-05 BRS S8 0 S6 and sideband same mirror adj1 image US-PGPUB; USPAT; EPO; JPO 17-Mar-05 BRS S9 1687 341/143.ccls. US-PGPUB; USPAT; EPO; JPO 17-Mar-05 BRS S10 53 S9 and (return adj2 zero or rz or rtz) US-PGPUB; EPO; JPO 17-Mar-05 BRS S11 10 S10 and bandpass US-PGPUB; USPAT; EPO; JPO 17-Mar-05 BRS S12 3 S9 and (return adj2 zero or rz or rtz) and (center near2 US-PGPUB; IFEQUENCY) 17-Mar-05	BRS	S6	1687	341/143.ccls.	USPAT;	17-Mar-05
BRS S8 0 S6 and sideband same mirror adj1 image US-PGPUB; USPAT; EPO; JPO BRS S9 1687 341/143.ccls. US-PGPUB; USPAT; EPO; JPO BRS S10 53 S9 and (return adj2 zero or rz or rtz) US-PGPUB; USPAT; EPO; JPO BRS S11 10 S10 and bandpass US-PGPUB; US-PGPUB; USPAT; EPO; JPO BRS S12 3 S9 and (return adj2 zero or rz or rtz) and (center near2 frequency) 17-Mar-05 US-PGPUB; US	BRS	S7	45	S6 and filter same (center near2 frequency)	US-PGPUB; USPAT;	17-Mar-05
BRS S9 1687 341/143.ccls. BRS S10 53 S9 and (return adj2 zero or rz or rtz) BRS S11 10 S10 and bandpass BRS S12 3 S9 and (return adj2 zero or rz or rtz) us-PGPUB;	BRS	S8	0	S6 and sideband same mirror adj1 image	US-PGPUB; USPAT;	17-Mar-05
BRS S10 53 S9 and (return adj2 zero or rz or rtz) US-PGPUB; USPAT; EPO; JPO BRS S11 10 S10 and bandpass US-PGPUB; USPAT; EPO; JPO USPAT; EPO; JPO BRS S12 3 S9 and (return adj2 zero or rz or rtz) and (center near2 frequency) 17-Mar-05 USPAT; EPO; JPO US-PGPUB; USPAT; USPAT; USPAT;	BRS	S9	1687	341/143.ccls.	US-PGPUB; USPAT;	17-Mar-05
BRS S11 10 S10 and bandpass US-PGPUB; USPAT; USPAT; EPO; JPO BRS S12 3 S9 and (return adj2 zero or rz or rtz) and (center near2 US-PGPUB; USPAT; USPAT; USPAT;	BRS	S10	53	S9 and (return adj2 zero or rz or rtz)	US-PGPUB; USPAT;	17-Mar-05
BRS S12 3 S9 and (return adj2 zero or rz or rtz) and (center near2 US-PGPUB; 17-Mar-05 frequency) USPAT;	BRS	S11	10	S10 and bandpass	US-PGPUB; USPAT;	17-Mar-05
	BRS	S12	3		US-PGPUB; USPAT;	17-Mar-05